Electrolux 400 Lt Line

White pre-painted refrigerator\freezer

The Electrolux 400 litre non-gastronorm range is produced for the customer who does not need refrigeration products suitable for gastronorm containers. This range is exclusive to Electrolux with regards its dimensions and built quality. The product range comprises of white pre-painted steel models, stainless steel models, glass door models and wine models.All the internal finishes are commercial grade ABS polystyrene.The white pre-painted refrigerator range consists of 3 models.



EASY TO INSTALL
- All models require only 1 phase 220/240V supply. They can therefore be plugged straight into an existing power socket.

EASY TO CLEAN
- The runners for the shelves are thermoformed and incorporated in the inner structure therefore being easily cleanable.
- The whole interior cell is white thermoformed polystyrene which is impact resistant with rounded corners.
- No joints whatsoever to eliminate dirt traps.

EASY TO USE
- Designed to operate at ambient temperatures of 43 °C for refrigerator, 38 °C for freezer and 32 °C for glass models.
- Very quiet operation.
- Fan assisted cooling for even temperature distribution.
- Digital control panel allowing the easy and precise setting and control of the internal temperature.

EASY TO MAINTAIN
- Simple refrigeration system easily accessible from the rear of the units.
- All models in range finished in top quality materials to guarantee durability.

EASY ON THE ENVIRONMENT
- CFC and HCFC free environmentally friendly: R134a or R404a gas in refrigeration circuit. Gas in foam: Cyclopentane.
- Developed and produced in ISO 9001 and ISO 14001 certified factory.

CSQ IQNet CSQ eco ISO 14001 CE Electrolux

Electrolux 400 Lt Line
White pre-painted refrigerator\freezer


	R04PVFW 730191	R04FSFW 730193	R04PVGW 730192
TECHNICAL DATA			
Operating temperature - min/max °C	0/10	-24/-15	0/10
Operating mode	Ventilated	Static	Ventilated
External material			
panels	Prepainted Steel	Prepainted Steel	Prepainted Steel
door	Prepainted Steel	Prepainted Steel	Glass
Gross capacity (D.I.N. 8952) - l.	400	400	400
Cooling unit	Built-In	Built-In	Built-In
Control type	Digital	Digital	Digital
External dimensions - mm			
width	703	703	703
depth/with open doors	620, 1310	620, 1310	620, 1310
height	1645	1645	1645
Min/Max internal humidity - %	70		60
Door hinges	Right Side	Right Side	Right Side
N° and type of grids (included)	4, 600x400	4, ; 600x400	4, 600x400
Compressor power - HP	1/5	1	1/5
Defrost type	Automatic (air)	Manual	Automatic
N° defrost in 24 hrs.	2x30'		2x30'
Refrigerant type	R134a	R404a	R134a
Refrigerant quantity - g.	240	240	240
Refrigeration power - W	306	881	249
Refrigerant power			
at evaporation temperature - °C	-12	-29	-10
Power - kW			
installed-electric	0.163	0.527	0.193
Internal light			●
Noise level - dBA	53.5	56	55
Net weight - kg.	75	75	89
INCLUDED ACCESSORIES			
PAIR OF GRIDS (WHITE) FOR 400LT REFRIG.	1		1
ACCESSORIES			
PAIR OF "RILSAN" GRIDS FOR 400 L REFRIG.	880538	880538	880538
PAIR OF GRIDS (WHITE) FOR 400LT REFRIG.	880292		880292
PRINTER FOR HACCP BASIC VERSION REFRIG.	881457	881457	881457
PVC CONTAINER W/FALSE BOTTOM FOR 400 LT	881072	881072	881072

HAF020

2009-10-06

Electrolux 400 Lt Line
White pre-painted refrigerator\freezer

730191, 730193




HAF020

2009-10-06

LEGEND	R04PVFW 730191	R04FSFW 730193
EI - Electrical connection	230 V, 1N, 50	230 V, 1N, 50

Electrolux 400 Lt Line
White pre-painted refrigerator\freezer

730192



	R04PVGW 730192
LEGEND	
EI - Electrical connection	230 V, 1N, 50

HAF020

2009-10-06

Subject to change without notice